

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alexandra, Virginia 22313-1450 www.unpto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/527,373	03/10/2005	Josef Schmidt	12604/13	5577
26646 7590 07/02/2008 KENYON & KENYON LLP ONE BROADWAY			EXAMINER	
			ABRAMS, NEIL	
NEW YORK, NY 10004			ART UNIT	PAPER NUMBER
			2839	
			MAIL DATE	DELIVERY MODE
			07/02/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/527.373 SCHMIDT ET AL. Office Action Summary Examiner Art Unit Neil Abrams 2839 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 6-4-2--2008 RCE and amendment. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 13-15 17 18 21-25 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) 13-15 17 18 21-25 is/are allowed. 6) Claim(s) _____ is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)

PTOL-326 (Rev. 08-06)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

information Disclosure Statement(s) (PTO/S5/06)
 Paper No(s)/Mail Date ______.

Paper No(s)/Mail Date.

6) Other:

5) Notice of Informal Patent Application

Art Unit: 2839

DETAILED ACTION

The filing of a request for continued examination (RCE) is acknowledged. A first action follows

Spec and drawings objected to, see page 6 lines 29-31 , figs 7-19 missing, these are also omitted in the remainder of the spec and are not present in the set of drawings submitted . Correction is required To avoid errors new sets of spec pages and drawings are believed to be required , but prior corrections to spec and drawings must be included

In fig 2 on top of part 30, a portion of connector 31 should be shown. Note that the figs are schematic therefor this feature may be shown even if in practice it may be hidden In fig 5 numeral 37 is incorrect since 37 used for terminals , fig4

Note in this regard that priority document only includes figs 1-6

Claims 13-15, 17 18 21-25 are allowed

The following is an examiner's statement of reasons for allowance: For claim 21, Kohy includes several features of the claim 21 combination but lacks the lines 13, 14 " electronics insert ... to form a seal " feature.. Nor would it have been obvious to provide such feature since the shape of the Kohy insert 51 is such that complete redesign would be necessary for provision of such a seal.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance"

Application/Control Number: 10/527,373 Page 3

Art Unit: 2839

The cited Roth Stielow patent is noted to be US equivalent to the German patent 19905952 listed on IDS form1449

Any inquiry concerning this communication should be directed to Neil Abrams at telephone number 571-272-2089

/Neil Abrams/

Primary Examiner, Art Unit 2839.

Page 4

Page 5

Page 6

Page 7

Page 8

Page 9

Art Unit: 2839

1.